

according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N

Revision date: 16.10.2023

Product code: 00320-0266-GHS

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Safeline Quick Des Wipes N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Tissues for disinfection (ready for use)

1.3. Details of the supplier of the safety data sheet

	ory data onoor	
Company name:	AMPri Handelsgesellschaft mbH	
Street:	Benzstraße 16	
Place:	21423 Winsen (Luhe)	
Telephone:	+49 (0) 4171-84 80-0	Telefax: +49 (0) 4174-84 80-190
E-mail:	info@ampri.de	
Responsible Department:	Responsible for the safety data sheet: sds@g	bk-ingelheim.de
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 6132 - 84463, GE	3K GmbH (24h - 7d/w - 365d/a)
number:	In England and Wales: NHS 111 In Scotland:	NHS 24 - dial 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation	(EC) No.	1272/2008
------------	----------	-----------

Signal word: Warning

Pictograms:



Hazard statements

H226

Flammable liquid and vapour.

Precautionary statements

i i coautional y statemer	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to approved disposal company or local collection.
2.3. Other hazards	



according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N

Revision date: 16.10.2023

Product code: 00320-0266-GHS

Page 2 of 10

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No			
	GHS Classification	·		
64-17-5	Ethanol			< 50 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2	2; H225 H319		

Full text of H and EUH statements: see section 16.

Specific Con	Specific Conc. Limits, M-factors and ATE		
CAS No	EC No	C No Chemical name Quantity	
	Specific Conc. L	imits, M-factors and ATE	
64-17-5	200-578-6 Ethanol <5		< 50 %
	Eye Irrit. 2; H31	9: >= 50 - 100	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately. If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours. In the event of symptoms refer for medical treatment.

After contact with skin

No special measure necessary.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

After ingestion

Do not induce vomiting. Summon a doctor immediately.

Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Contact with eyes may cause irritation.

Inhalation of vapours in high concentration can cause narcotic effects.

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.



according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N

Revision date: 16.10.2023

Product code: 00320-0266-GHS

Page 3 of 10

4.3. Indication of any immediate medical attention and special treatment needed Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use breathing apparatus with independent air supply. Protective suit.

Additional information

Vapours are heavier than air and spread along ground. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Cool containers at risk with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Ensure adequate ventilation. Keep away sources of ignition. Keep away noninvolved persons.

For non-emergency personnel

Do not breathe vapours. Avoid contact with skin, eyes and clothing.

For emergency responders

In case of vapour formation use respirator. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

For containment

No special measures required.

For cleaning up

Take up mechanically and collect in suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed. Ensure adequate ventilation.



according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N

Revision date: 16.10.2023

Product code: 00320-0266-GHS

Page 4 of 10

Avoid contact with skin, eyes and clothing.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition. Do not smoke - volatile.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Tissues for disinfection (ready for use)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Do not inhale vapours.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

Eye/face protection

If used properly, no need to wear eye protection. Otherwise wear protective goggles with integrated side shields.

Hand protection

If used properly, there is no need to wear protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Non-woven fabric, impregnated
Colour:	White
Odour:	alcoholic / Perfumed (scented)

Test method



AMPri Handelsgesellschaft mbH

according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N				
Revision date: 16.10.2023	Product code: 00320-0266-GHS		Page 5 of 10	
pH-Value (at 20 °C):	approx. 11	*)		
Changes in the physical state				
Melting point/freezing point:	< - 10 °C			
Boiling point or initial boiling point and boiling range:	approx. 85 °C	*)		
Sublimation point:	n.a.			
Softening point:	n.a.			
Flash point:	24 °C	*)		
Flammability				
Solid/liquid:	n.d.			
	n.a.			
Explosive properties The product is considered non-explosive: n	evertheless explosive vapour/air mixture can be	generated		
Lower explosion limits:	3,5 vol. %	•		
Upper explosion limits:	15 vol. %			
Auto-ignition temperature:	425 °C			
Self-ignition temperature		,, ,		
Solid:	n.d.			
Gas:	n.a.			
Decomposition temperature:	n.d.			
Oxidizing properties Not oxidising.				
Vapour pressure: (at 20 °C)	58 hPa	*), **)		
Density (at 20 °C):	0,92 - 0,93 g/cm³	*)		
Bulk density:	n.a.	*)		
Water solubility: (at 20 °C)	Miscible	")		
Solubility in other solvents				
n.d.				
Partition coefficient n-octanol/water:	n.d.			
Viscosity / dynamic:	n.a.			
Viscosity / kinematic:	n.a.			
Flow time:	n.a.			
Relative vapour density:	n.d.			
Evaporation rate:	n.d.			
Solvent separation test:	n.d.			
Solvent content:	< 50 % *)			
9.2. Other information				
*) All data refer to the solution**) Ethanol				
SECTION 40. Stability and reactivity				

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.



according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N

Revision date: 16.10.2023

Product code: 00320-0266-GHS

Page 6 of 10

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming. Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

No hazardous decomposition products known. Fire may produce: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

No toxicological data available. Ethanol LD50/oral/rat: > 2000 mg/kg [OECD 401] LD50/dermal/rabbit: > 2000 mg/kg [OECD 401]

LC50/inhalation/rat: > 20 mg/l/4h

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information

Contact with eyes may cause irritation.

Inhalation of vapours in high concentration can cause narcotic effects.

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

AMPri Handelsgesellschaft mbH



according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N

Revision date: 16.10.2023

Product code: 00320-0266-GHS

Page 7 of 10

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available

Ethanol: Readily biodegradable (to OECD criteria).

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

Low hazard to waters.

Further information

Product is not allowed to discharge into the ground water or aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Where possible recycling is preferred to disposal. Can be incinerated, when in compliance with local regulations.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 3175
14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	II
Hazard label:	4.1
Classification code:	F1



٦

Limited quantity: 1 kg / 30 kg Excepted quantity: 2 Transport category: 2 Hazard No: 40 Tunnel restriction code: E Inited waterways transport (ADN) 14.1.0N number: 14.2.UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(sa): 4.1 Hazard label: 4.1 Hazard label: 4.1 Classification code: F1 Limited quantity: 1 kg / 30 kg Excepted quantity: 2 kg / 30 kg Marine transport (MOO) 14.1.0N number: 14.1.UN number: UN 3175 14.2.UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport (MOO) 4.1 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 Hazard label: 4.1 Marine pollutant: No Limited quantity: 1 kg / 30 kg Excepted quantity: 1 kg / 30 kg Excepted q	Revision date: 16.10.2023	Safeline Quick Des Wipes N Product code: 00320-0266-GHS	Page 8 of 10
Eccepted quantity: E2 Transport category: 2 Hazard No: 40 Trunnel restriction code: E Indard waterways transport (ADN) UN 3175 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Fransport hazard class(es): 4.1 14.4. Packing aroup: II Hazard label: 4.1 Classification code: F1 Limited quantity: 1 kg / 30 kg Excepted quantity: E2 Marine transport (MOG) UN 3175 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport (AZAC) II Hazard label: 4.1 Marine pollutant: No Limited quantity: E2 Marine pollutant: No Limited quantity: E4, SIO Marine pollutant: No Limited quantity: E4, SIO Ensport (ICAO-TI/IATA-DGR) E2 Enst SOLIDS CONTAINING FLAMMABLE			J
Transpot category: Hazard No:2 4 Category: 			
Tunnel restriction code: E Inland waterways transport (ADN) UN 3175 14.1. UN number: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard classies): 4.1 14.4. Packing group: II Hazard label: 4.1 Classification code: F1 Linnited quantity: 14.9 / 30 kg Excepted quantity: 14.9 / 30 kg Excepted quantity: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.1. UN number: N 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Hazard label: No Hazard label: 1 Marine pollutant: No Linnited quantity: FA, S-I Air Insport hazard class(es): FA, S-I Air Insport hazard class(es): FA, S-I Air Insport hazard class(es): FA, S-I Air Insport (ICAO TIVIATA-DGR) UN 3175 14.1. UN number: UN 3175 14.2. UN prope	Transport category:	2	
Island waterways transport (ADN) UN 3175 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Fransport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Classification code: F1 Linited quantity: E2 Marine transport (MDG) UN 3175 14.1. Number: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.1. Number: Ik // 30 kg Excepted quantity: E2 Marine pollutant: No 3175 14.1. Number: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.1. Number: II Hazard label: 4.1 Marine pollutant: Ka // 30 kg Excepted quantity: E2 Excepted quantity: E4.2 Marine pollutant: No Linited quantity: E4.1 Imited quantity: E4.2 Excepted quantity: E4.2 Excepted quantity: E4.2 Excepted quantity: E4.3 Hazard label: <t< td=""><td></td><td></td><td></td></t<>			
14.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Classification code:F1Limited quantity:F2Excepted quantity:E2Marine pollutant:UN 317514.4. Packing group:IIHazard label:4.114.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.114.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:No15. Cospled quantity:E2EmS:F-A, S-I14.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:II14.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:II14.1. Packing group:II14.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport		E	
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Classification code: F1 Limited quantity: 1 kg / 30 kg Excepted quantity: E2 Marine transport (MOG) II 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: E2 Em5: F-A, S-I Air transport (IGAO-TI/IATA-DGR) II Hazard label: 4.1 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 Hazard label: VI 300 kg Excepted quantity: E2 Em5: F-A, S-I Air transport hazard class(es): 4.1			
44.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Image: Classification code: F1 Limited quantity: Excepted quantity: Excepted quantity: E2 Marine transport (MDO6) UN 3175 14.1. UN number: UN 3175 14.2. Packing group: II Hazard label: 4.1 14.1. UN rumber: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 143. Transport hazard class(es): 4.1 144. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: E2 Excepted quantity: E4, S-I Erms: FA, S-I Air transport (ICAO-TI/IATA-DGR) E2 141. UN number: UN 3175 142. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport ideas(es): 4.1 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport ideas(es): 4.1 <			
14.4. Packing group:IHazard label:4.1Hazard label: 4.1 Limited quantity:F1Limited quantity: $1 \log / 30 \log$ Excepted quantity:E2Marine transport (IMDG)UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IHazard label:4.1Marine pollutant:NoLimited quantity:E2Excepted quantity:E2Excepted quantity:E2Excepted quantity:E2Excepted quantity:E3Excepted quantity:1 NoLimited quantity:1 NoLimited quantity:1 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)43. Transport hazard class(es):4.114.1. UN number:UN 3175Jate transport (ICAO-TI/ATA-DGR)I14.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IHazard label:4.1Limited quantity Passenger:5 kg			
Hazard label: 4.1 Hazard label: 4.1 Limited quantity: 1 kg / 30 kg Excepted quantity: 1 kg / 30 kg Excepted quantity: 2 Marine transport (IMDG) UN 3175 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: E2 Marine pollutant: No Limited quantity: FA, S-I Air transport (ICAO-TI/IATA-DGR) E2 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport (ICAO-TI/IATA-DGR) E2 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)			
Classification code: F1 Limited quantity: 1 kg / 30 kg Excepted quantity: E2 Marine transport (MDG) UN 3175 14.2. UM proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard classies): 4.1 14.4. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: 1 kg / 30 kg Excepted quantity: 5 kg 41.1 N number: VN 3175 14.2.UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.1 N number: VN 3175 14.2.UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard classiesi: 4.1 14.4. Packing group: II Hazard label: 4.1 Hazard label: 4.1 Image: 4.1 Hazard label: 4.1			
Limited quantity:1 kg / 30 kgExcepted quantity:1 kg / 30 kgExcepted quantity:1 kg / 30 kgHarme transport (IMDG)14.1 UN number:14.1 UN number:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Marine pollutant:NoLimited quantity:1 kg / 30 kgExcepted quantity:E2Ems:E3Farsport (ICAO-TI/IATA-DGR)UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Limited quantity Passenger:5 kg		4.1	
Limited quantity:1 kg / 30 kgExcepted quantity:1 kg / 30 kgExcepted quantity:1 kg / 30 kgHarme transport (IMDG)14.1 UN number:14.1 UN number:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Marine pollutant:NoLimited quantity:1 kg / 30 kgExcepted quantity:E2Ems:E3Farsport (ICAO-TI/IATA-DGR)UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Limited quantity Passenger:5 kg			
Excepted quantity: E2 Marine transport (IMDG) UN 3175 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: E2 Excepted quantity: E2 Excepted quantity: E2 Excepted quantity: E2 Excepted quantity: E2 Hainte pollutant: No Limited quantity: E2 Excepted quantity: E2 Excepted quantity: E1 FA, S-I SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg			
Marine transport (MDG) UN 3175 14.1. UN number: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: 1 kg / 30 kg Excepted quantity: E2 Ems: F-A, S-I Att. UN number: UN 3175 14.1. UN number: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg			
14.1.UN number: UN 3175 14.2.UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: 1 kg / 30 kg Excepted quantity: E2 EmS: F-A, S-I Air transport (ICAO-TI/IATA-DGR) UN 3175 14.2.UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.1.UN number: UN 3175 14.2.UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg		E2	
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Marine pollutant: No Limited quantity: 1 kg / 30 kg Excepted quantity: E2 EmS: F.A. S-I Air transport (ICAO-TI/IATA-DGR) VI N 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg		LIN 3175	
14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Marine pollutant:NoLimited quantity:1 kg / 30 kgExcepted quantity:E2EmS:F-A, S-IA I 1.114.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:5 kg			
Id.4. Packing group:IIHazard label:4.1Warine pollutant:NoLimited quantity:1 kg / 30 kgExcepted quantity:E2EmS:F-A, S-IA S-IA I.1 UN number:I.1. UN proper shipping name:I.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)I.3. Transport hazard class(es):I.Hazard label:J.Limited quantity Passenger:5 kg			
Hazard label: 4.1 Hazard label: 4.1 Marine pollutant: No Limited quantity: 1 kg / 30 kg Excepted quantity: E2 EmS: F-A, S-I Air transport (ICAO-TI/IATA-DGR) UN 3175 14.1 UN number: UN 3175 14.2 UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3 Transport hazard class(es): 4.1 14.4 Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg			
Marine pollutant: No Limited quantity: 1 kg / 30 kg Excepted quantity: E2 EmS: F-A, S-I Atransport (ICAO-TI/IATA-DGR) UN 3175 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg			
Limited quantity:1 kg / 30 kgExcepted quantity:E2EmS:F-A, S-IAir transport (ICAO-TI/IATA-DGR)UN 317514.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Limited quantity Passenger:5 kg			
Excepted quantity:E2EmS:F-A, S-IAir transport (ICAO-TI/IATA-DGR)UN 317514.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Limited quantity Passenger:5 kg			
EmS: F-A, S-I Air transport (ICAO-TI/IATA-DGR) UN 3175 14.1. UN number: UN 3175 14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg			
Air transport (ICAO-TI/IATA-DGR)14.1. UN number:UN 317514.2. UN proper shipping name:SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Limited quantity Passenger:5 kg			
14.2. UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol) 14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg		1 74, 071	
14.3. Transport hazard class(es): 4.1 14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg	<u>14.1. UN number:</u>	UN 3175	
14.4. Packing group: II Hazard label: 4.1 Limited quantity Passenger: 5 kg	14.2. UN proper shipping name:	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)	
Hazard label: 4.1	14.3. Transport hazard class(es):	4.1	
Limited quantity Passenger: 5 kg	14.4. Packing group:	II	
	Hazard label:	4.1	
Passenger LQ: Y441			
Even to demonstrate the EC	-		
Excepted quantity: E2	· · · ·		
IATA-packing instructions - Passenger: 445 IATA-max. quantity - Passenger: 15 kg			
IATA-max. quantity - Passenger. 15 kg IATA-packing instructions - Cargo: 448			
IATA-max. quantity - Cargo: 50 kg			
14.5. Environmental hazards	14.5. Environmental hazards		



Page 9 of 10

according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N Product code: 00320-0266-GHS

Revision date: 16.10.2023

No

14.6. Special precautions for user

ENVIRONMENTALLY HAZARDOUS:

Take the usual precautions when handling with chemicals.

14.7. Maritime transport in bulk according to IMO instruments

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 3, Entry 40 2004/42/EC (VOC): < 50 % Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

Additional information

Regulation (EC) No 648/2004 (Regulation on detergents): < 5% Non-ionic surfactants

National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

Changes in section: 8

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative



according to Regulation (EC) No 1907/2006

Safeline Quick Des Wipes N

Revision date: 16.10.2023

Product code: 00320-0266-GHS

Page 10 of 10

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data

Relevant H and EUH statements (number and full text)

Highly flammable liquid and vapour.

Flammable liquid and vapour.

Causes serious eye irritation.

Further Information

H225

H226

H319

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

The provision of the safety data sheet does not automatically guarantee the marketability of the product. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)